

Mailpiece Design With Pricing in Mind

AUGUST 21,2014



GREATER PORTLAND POSTAL CUSTOMER COUNCIL 2014 MAILER'S CONFERENCE AND EXPO Presented by Mary Hoppe WA MDA



Classification

The Postal Service separates all mail into four size categories:

- Postcards
- Letters
- Large envelopes and "flats"
- Parcels





Classification

Categories of Mail

- Machinable
- Nonmachinable
- Automation



inter.

Alter Inc. Alter Inc. Alter Inc.



POSTCARDS - APPLIES TO FIRST-CLASS ONLY

Minimum Size

- 3-1/2" x 5"
- .007" thick
- Maximum Size
 - 4-1/4" x 6"
 - .016" thick



Two Format Options

- Vertical option with or without rule
- Right half of card dedicated to address and postal information.
- Text and copy can extend to the right side above the delivery address.





What's in a Name?

Domain names go fast, with prices this great – why wait to register your name?

WE ALSO OFFER:

- Web Hosting Services
- A Fast, Reliable & Secure Network
- Professional Support Staff Located in the US
- Automated & User Friendly Interface
- Personalized Customer Service

Money Back Guarantee

Register Your Domain Name Online at www.AMHosting.com or call 775.331.3319





Offers expire 10/01/07

American Internet



Get Back to Your Life Without the Pain!

Chiropractic Care of East Islip provides the natural care to improve your overall health and effectively relieve the root of your pain.

- Relieve Pain & Fatigue
- Increase Strength & Endurance
- Regain Range of Motion
- Improve Quality of Life
- Regain Independence

Schedule Your Appointment Today!

631-224-3036 www.chirocare-eastislip.com

Robin Stein, D.C. Chiropractor Chris Sweetapple, L.M.T. Massage Therapist Paul Murphy, L.Ac. Acupuncturist



177 East Main St. | East Islip, NY 11730



Presorted FIRST-CLASS





What do you do for a warm fire?



Newtown Square Gas Fireplace & Stove

Get warm & cozy easily this winter.

Call Newtown Square Heating & Air Conditioning to install your energy efficient gas log fireplace. It will add beauty and comfort to your home while you BEAT THE HIGH COST OF HOME HEATING with 99% heat efficient vent-free gas logs.

- Cut Heating Costs
- Easy as 1 2 3
- Satisfaction Guaranteed

Don't just enjoy your enclosed porch in the summer—**install a**

gas stove to enjoy it year 'round!

We provide full service installation, maintenance and repairs of gas fireplaces and stoves.

ACT NOW! 610-909-1699 610-356-KÖØL Complete Heat & AC Solutions Newtown Square Heating & Air Conditioning 1008 Garfield Avenue Havertown, PA 19083







Design Tip

Indicia may be in the upper right corner of the mail piece or of the address area





Double Postcard – applies to First-Class only

- Consists of two attached cards, one of which is designed to be detached by the recipient and returned by mail as a single card; DMM 201.1.2.8.
- The outgoing double postcard mails at the postcard rate.
- Incoming reply postcard receives the postcard rate.





 Postcards and letter-size mailpieces made of cardstock and flat-size mailpieces may have finished corners that do not exceed a radius of 0.125 inch (1/8 inch).





Physical Standards for Letters





Address Placement on Letters

Determines which side is length & which is width The length is the side parallel to the address





Minimum length is 5" based on orientation of the delivery address





MY GOOD CUSTOMER 1234 MAIN DR



Nonmachinable Criteria – DMM 101.1.2

- Has an aspect ratio (length divided by height) of less than 1.3 or more than 2.5.
- Is polybagged, polywrapped, or enclosed in any plastic material. or has an exterior surface made of a material that is not paper. Windows in envelopes made of paper do not make mailpieces nonmachinable. Attachments allowable under applicable eligibility standards do not make mailpieces nonmachinable. <u>201.3.13</u>. (labels, stickers, release cards or perforated pockets)
- Has clasps, strings, buttons, or similar closure devices.
- Is too rigid (does not bend easily when subjected to a transport belt tension of 40 pounds around an 11-inch diameter turn).



Nonmachinable Criteria – DMM 101.1

- For pieces more than 4-1/4 inches high or 6 inches long, the thickness is less than .009 inch.
- Has a delivery address that is parallel to the shorter dimension of the mailpiece.
- Contains odd shaped items such as pens, pencils, keys or coins.
- Self-mailer that is not prepared according to <u>201.3.14</u>.
- Booklet that is not prepared according to <u>201.3.15</u>.



 Booklets may be designed with the spine or final fold at the bottom or on the leading edge.





Simple-Spine Booklet: DMM 201.3.16.5

- Spine on bottom (longer) edge
- Place two tabs on leading edge and one on trailing edge:
 - Position lower leading tab 0.5 inch from bottom edge
 - Position upper tabs 1 inch from top edge
- May use 50-pound 5" to 9"; 60-pound paper recommended
- Must use 60-pound on pieces over 9" up to 10.5" long

		5" to 9" long	50-pound		Two tabs on leading
fol bo (lo	oine or d on the ttom nger) lge	Over 9", up to 10.5" long	60-pound	Three 1.5" non- perforated tabs	edge; one tab on trailing edge. Position lower leading tab 0.5 inch from the bottom edge. Position upper tabs 1 inch from the top edge.



Perfect Bound Booklet

- Spine on bottom (longer) edge; non-perforated inner flap on top (upper edge)
- Perfect bound or saddle stitched with a continuous glue line along flap preferred, minimum 1" glue spots acceptable if placed within ³/₄" of right and left edges:
- *Must* use 80-pound paper

Spine on bottom (longer) edge, non- perforated inner flap on top (upper) edge	5" to 9.5" long	80-pound	Continuous glue line or glue spots	Perfect bound or saddle stitched with a continuous glue line along flap preferred, minimum 1inch glue spots acceptable if placed within ³ / ₄ inch of right and left edges.
---	--------------------	----------	--	---



Folded Booklet ("Quarter-Fold") Exhibit DMM 201.3.16.8

- Final fold on bottom (longer) edge; spine folded on leading edge
- Place two tabs on leading edge and one on trailing edge:
 - Position lower leading tab 0.5 inch from bottom edge
 - Position upper tabs 1 inch from top edge
- May use 40-pound; 50-pound paper recommended

Final fold on the bottom (longer) edge, with the folded spine on the leading or trailing (shorter) edge	40-pound Three 1.5" non- perforated tabs	Folded Booklet Two tabs on leading edge; one tab on trailing edge. Position lower leading tab 0.5 inch from the bottom edge. Position upper tabs 1 inch from the top edge.
---	---	---



Spine-Right Booklet (Oblong) DMM 201.3.16.7

- Spine on leading (shorter) edge
- Place two tabs on top edge and one on trailing edge:
 - Position top tabs no more than 1 inch from left and right edge
 - Position trailing tab no lower than the middle
- May use 60-pound; 70-pound paper recommended
- *Must* use 70-pound on pieces over 9 inches long

	o 9" long	60-pound	Three 1.5" non-	Two tabs on top edge; one tab on
the (st	9", up to 5" long	70-pound	perforated tabs	trailing edge. Position top tabs 1 inch from left and right edge. Position trailing tab in the middle.



- When prepared correctly, postage for CDs and DVDs can be reduced from nonmachinable letters or flats prices to automation-letter prices!
- Single disc
- Position at vertical center line and near top edge
- Secure disc to prevent shifting
- Dimensional standards (max. 4.7" x .08" thick)
- DMM 201.3.4

Dimension	Min.	Max.	Recommend
Height	5.5"	6"	
Length	7.25"	9.75"	
Thickness	.009"	.25"	.125"
Weight		3 ounces	1-ounce





A Creative Tool for Advertisers & Marketers



Innovative Customized *MarketMail* pieces help advertisers and direct marketers break through the *mailbox clutter* and enhance response rates



Flat Dimensions



- All flats must be flexible, uniformly thick, and rectangular in shape.
- The longest dimension is the length on a flat
- May have finished corners not exceeding radius of 0.125 (1/8")
- Flats don't require tabbing.



Auto Flats - Must be Rectangular in Shape & Uniform in Thickness (Max. – ¾″)



Automated flat-sized mailpieces must have a smooth & regular shape. Commercial Flats Must be Flexible



Flat-sized mailpiece is flexible if it can bend at least 1-inch vertically without being damaged and it does not contain a rigid inset.

But Not Too Flexible



Flat-sized mailpieces cannot droop too much. Commercial flat-sized mailpieces must pass deflection standards.



The delivery address must be in the top half of the mailpiece



Small Digest "Vertical" address may cross midpoint if it begins or ends within 1 inch of top edge



Large Envelopes

Horizontal format is fine - "top" is left or right edge

-	—— Tap half ———+			Top hair	
			All and a second second	=	
					l
	South States			Company of the local division of the local d	l
	ENVELOPE LARGE		ENVELOPE LARGE		



Consider Postcard-size vs. Letter-size











Nonmachinable Designs and Prices!

Design letter-size mailpieces to avoid higher nonmachinable prices.





Automated letter vs. Nonmachinable

- Postage for qualifying letter-size mailpieces mailed at Standard Mail automation AADC prices are \$0.279.
- Postage for letter-size pieces that do not comply with machinable criteria are \$0.576, NONMACHINABLE ADC.
- More than 100% increase in postage!



DMM Advisory

Pricing and Classification — keeping you informed about the prices and mailing standards of the United States Postal Service.

To subscribe to the DMM Advisory, send an e-mail to <u>dmmadvisory@usps.com</u>. Simply indicate "subscribe" in the subject line.



Contact Information
 by phone 855-593-6093
 OR

MDA Support Center

•by email MDA@USPS.GOV

MONDAY – FRIDAY, 7am – 5pm CST





Visit our websites at: <u>www.usps.com</u> <u>http://pe.usps.gov/</u> http://ribbs.usps.gov/